




LSDA

PRODUCT CATALOGUE 2013



THE LOCKSMITH'S CHOICE


FINISH CHART / TABLEAU DE FINIS

ANSI / BHMA	OTHER	BASE MATERIAL / MATÉRIAU DU BASE	DESCRIPTION
505*	L03, MB3, PVD	Brass, Bronze / Laiton, Bronze	Lifetime Bright Brass / Laiton fini à vie
600	P	Steel / Acier	Prime Coat / Fini apprêt
605	3	Brass / Laiton	Bright Brass / Laiton brillant
606	4	Brass / Laiton	Satin Brass / Laiton satiné
609	5	Brass / Laiton	Antique Brass / Laiton antique
611	9	Bronze / Bronze	Bright Bronze / Bronze brillant
612	10	Bronze / Bronze	Satin Bronze / Bronze satiné
613	10B	Bronze / Bronze	Oil Rubbed Bronze / Bronze huilé
616E	11P	Brass, Bronze / Laiton, Bronze	Venetian Bronze / Bronze vénitien
617	13	Bronze / Bronze	Darken Oxidized Satin Bronze / Sombre oxydé bronze satiné
618	14	Brass, Bronze / Laiton, Bronze	Bright Nickel / Nickel brillant
619	15	Brass, Bronze / Laiton, Bronze	Satin Nickel / Nickel satiné
620	15A	Brass, Bronze / Laiton, Bronze	Antique Nickel / Nickel antique
621	17A	Brass, Bronze / Laiton, Bronze	Blackened Nickel / Nickel noirci
622	19	Brass, Bronze / Laiton, Bronze	Matt Black, Flat Black / Noir mat
624	20A	Bronze / Bronze	Dark Oxidized Statuary Bronze / Sombre oxydé statuaire en bronze
625	26	Brass, Bronze / Laiton, Bronze	Bright Chrome / Chrome brillant
626	26D	Brass, Bronze / Laiton, Bronze	Satin Chrome / Chrome satiné
628	28	Aluminum / Aluminium	Satin Aluminium / Aluminium satiné
629	32	Stainless Steel / Acier Inoxydable	Bright Satinless Steel / Acier inox brillant
630	32D	Stainless Steel / Acier Inoxydable	Satin Stainless Steel / Acier inox satiné
690	DU	Any / Tout matériau	Duranodic, Dark Bronze / Duranodic, Bronze foncé
710	313	Aluminum / Aluminium	Duranodic, Dark Bronze / Duranodic, Bronze foncé
716	—	Brass, Bronze, Steel / Laiton, Bronze, Ancier	Aged Bronze / Bronze agés


FINISH EXAMPLES / EXEMPLES DES FINIS



505* / 605 / 3
Bright Brass,
Millennium Brass* /
Laiton brillant,
Laiton fini à vie*




606 / 4
Satin Brass /
Laiton satiné



609 / 5
Antique Brass /
Laiton antique



612 / 10
Satin Bronze /
Bronze satiné




613 / 10B
Oil Rubbed
Bronze /
Bronze huilé



616E / 11P
Venetian Bronze /
Bronze vénitien



619 / 15
Satin Nickel /
Nickel satiné



620 / 15A
Antique Nickel,
Antique Pewter /
Nickel antique,
Étain antique



622 / 19
Matt Black /
Noir mat



625 / 25
Bright Chrome /
Chrome brillant




626 / 26D
Satin Chrome /
Chrome satiné




630 / 32D
Satin Stainless
Steel /
Acier inox satiné




628 / 28 / AL
Aluminum, Clear /
Aluminium



313 / 690 / DU
Duranodic,
Dark Bronze /
Duranodic,
Bronze foncé




716
Aged Bronze /
Bronze agés



LOCKSET HANDING / SCHÉMA POUR MAIN DE PORTE

In-swinging Door / Portes s'ouvrent vers l'intérieur

(Person on Exterior / Personne à l'extérieur)



Out-swinging Door / Portes s'ouvrent vers l'extérieur

(Person on Exterior / Personne à l'extérieur)




TABLE OF CONTENTS

GRADE 1 LEVERS & KNOBS

Extra Heavy Duty LF Series Leversets & Accessories	1
Heavy Duty 5000 Series Leversets & Accessories	2
Heavy Duty LH Series Knobsets	3
Heavy Duty 4000 Series Knobsets & Accessories	4
Display Mounts for G1 Levers	33

GRADE 2 LEVERS, KNOBS & DEADBOLTS

Commercial Duty 800 “Vancouver” Series Leversets	5
Commercial Duty 800 “Edmonton” Series Leversets & Accessories	6
Commercial Duty 100B Series Knobsets	7
Commercial Duty 260 Series Deadbolts & Accessories	8
Commercial Duty 220 Series Deadbolts & Accessories	9
Display Mounts for G2 Levers, Knobs & Deadbolts	33

GRADE 3 LEVERS, KNOBS & DEADBOLTS

Residential 50 Series Tubular Leversets	10
Residential 10B Series Cylindrical Knobsets	11
Residential 00 Series Tubular Knobsets & Accessories	12
Residential 20 Series Solid Cylinder Deadbolts	13
Residential 20R Series Removable Cylinder Deadbolts & Accessories	14
Residential 40 Series Entrance Handlesets	15
Display Mounts for G3 Levers, Knobs, Deadbolts & Gripsets	33

EXIT DEVICES

PD9200 Series Rim, Vertical Exit Devices & Accessories	16
PD921 Series Rim, Vertical Exit Devices & Accessories	17
PD921 Series Trims & Accessories	18
PD922RN Series Rim Exit Devices & Accessories	18

DOOR CLOSERS

Premier DC6800 Series Cast Iron Closer & Accessories	19
Premier DC6800 Series Accessories	20
Commercial DC6120 Series Door Closer & Accessories	20
DC84 Series Size 4 Door Closers & Accessories	21
DC724 Series Economy Door Closers & Accessories	21

STOREFRONT DOOR HARDWARE (ALUMINUM DOOR HARDWARE)

Maximum Security Bolts	22
Deadlatches	22
Deadlatch Lever Handles	22
Deadlatch Paddle Handles	22

TABLE OF CONTENTS

PADLOCKS

Pin Tumbler Solid Brass Padlocks & Accessories.	23
Solid Brass Commercial Cylinder Padlocks	24
Solid Steel Padlocks	24
Pin Tumbler Laminated Steel Padlocks.	25
Shielded Disc Padlocks	25
Dial Combination Padlocks	25
Resettable Combination Padlocks	26
Shackleless High Security Padlocks	26
Weather Resistant Pin Tumbler Padlocks	26

CYLINDERS

LSA Reserved Keyway Cylinders & Key Blanks.	27
Keyed Mortise Cylinders.	27
Dummy Mortise Cylinders	28
Thumbturn Mortise Cylinders	28
Rim Cylinders	28
Universal Combination Cylinders & Kit.	29

KEY BLANKS

Neuter Bow Key Blanks	30
Brass Look-A-Like Key Blanks.	30

SPECIALTY LOCKS

Disc Tumbler Cam Locks.	31
Showcase Ratchet Locks	31
Vertical Bolt Lock	31
Drawer Lock.	32
Sliding Door Push Locks.	32
Universal Tubular Cam Locks	32

SAFES

Fire Resistant Home Safes.	33
Fire Resistant Office Safes	34
Front Depository Safes	34

LF SERIES LEVERSETS
BHMA
ANSI A156.2
GRADE 1

LF2000 SERIES

- Rose: 3-1/2" diameter
- Lever length: 5-1/4" long
- ANSI/BHMA A156.2 Series 4000, Grade 1 certified
- Roses are wrought brass or bronze
- Backset: 2-3/4", 2-3/8" available
- Latch: solid brass 1/2" throw, reversible for RH or LH applications
- Faceplate adjustable for flat or beveled doors 2-1/4" x 1-1/8"
- Door: adjustable from 1-3/8" to 1-3/4"
- Strike: 4-7/8" x 1-1/4" ASA
- Cylinder: supplied with Schlage "C" 6 pin keyway, I/C Core option accepts 6 or 7 pin Best style cores
- Compatible with LSDA C500 cylinders as well as many other retrofit and high security brands
- Case: corrosion treated heavy gauge, cold-rolled, steel mechanisms
- UL/cUL listed for fire rated openings

CLASSROOM INTRUDER LOCK:

During an emergency situation, an instructor can lock their classroom without having to open the door and expose themselves to whoever may be in the corridor. The exterior lever is disabled by means of either the exterior or the interior lock cylinder. To avoid confusion in a panic situation, the inside rose has been engraved with a graphic showing which direction to turn the key to lock the door. Inside lever always allows free egress. Key required in either side to lock levers.

BENEFITS OF A "CLUTCH" LEVER:

A lever lock with a clutch does not stay rigid when it is locked. The lever moves, just like it does when unlocked. However, it does not retract the latch. This "free-wheeling" feature absorbs torque and can extend the life of a lever lock.


I/C CORE OPTION:

Accepts small format I/C cores from KSP, Kaba Peaks, Falcon & Best. Core not included.

**GRADE 1
LEVERS & KNOBS**

MFG #	KEYWAY	FINISH	CLUTCH	EZ #
ENTRANCE - PUSH BUTTON LOCKING.				
LF2000 3	SC1	3	No	077537
LF2000 26D	SC1	26D	No	077536
LFC2000 26D	SC1	26D	Yes	085985
LF2000IC26D	I/C Core	26D	No	077970
PASSAGE SETS				
LF2100 3	—	3	No	077540
LF2100 26D	—	26D	No	077539
PRIVACY SETS				
LF2200 3	—	3	No	077543
LF2200 26D	—	26D	No	077542
STOREROOM - OUTER LEVER FIXED. ENTRANCE BY KEY ONLY. INSIDE LEVER ALWAYS FREE.				
LF2400 3	SC1	3	No	077546
LF2400 26D	SC1	26D	No	077545
LFC2400 26D	SC1	26D	Yes	085988
LF2400IC26D	I/C Core	26D	No	077971
CLASSROOM - OUTER LEVER LOCKED/UNLOCKED BY KEY OUTSIDE. INSIDE LEVER ALWAYS FREE.				
LF2500 3	SC1	3	No	077549
LF2500 26D	SC1	26D	No	077548
LF2500IC26D	I/C Core	26D	No	077972
CLASSROOM INTRUDER - SEE EXPLANATION OF FUNCTION'S CAPABILITY AT LEFT.				
LF2800 26D	SC1	26D	No	087925
LFC2800 26D	SC1	26D	Yes	087927
INSTITUTIONAL - BOTH LEVERS ALWAYS FIXED. ENTRANCE BY KEY IN EITHER LEVER.				
LF2900 3	SC1	3	No	077552
LF2900 26D	SC1	26D	No	077551
LF2900IC26D	I/C Core	26D	No	081703

GRADE 1 ACCESSORIES

LFTDP

- Includes outside rose, rose liner & inside rose to adapt a LF Series lever for a 2-1/4" door

MOUNT

- Mount available for G1 Levers, see page 33

MFG #	DESCRIPTION	FINISH	EZ #
LFTDP3	2-1/4" Thick Door Package	3	080707
LFTDP26D	2-1/4" Thick Door Package	26D	080706

5000 SERIES LEVERSETS

GRADE 1
LEVERS & KNOBS

BHMA
A156.25
GRADE 1



BENEFITS OF A "CLUTCH" LEVER:

A lever lock with a clutch does not stay rigid when it is locked. The lever moves, just like it does when unlocked. However, it does not retract the latch. This "free-wheeling" feature absorbs torque and can extend the life of a lever lock.



I/C CORE OPTION:

Accepts small format I/C cores from KSP, Kaba Peaks, Falcon & Best (Core not included).

- ANSI/BHMA A156.25 series 4000 Grade 1 certified
- Vandal resistant clutch models available
- Non-handed
- Latchbolt: 2-3/4" backset, UL listed 3 hr fire rated
- Door thickness: 1-9/16" to 2-1/8"
- Cylinder: Supplied with Schlage "C" 6 pin keyway, I/C Core option accepts 6 or 7 pin Best style cores
- Compatible with LSDA C500 cylinders as well as many other retrofit and high security brands

5000 - ENTRANCE/OFFICE:

Pushing and turning inside button locks outside lever requiring use of key until button is manually unlocked. Pushing inside button locks outside lever until unlocked with a key or inside lever is turned. Inside lever always retracts the latch.

C5000 - ENTRANCE/OFFICE WITH CLUTCH:

Same operation as 5000.

5100 - PASSAGE:

Both levers always retract the latch.

5200 - PRIVACY:

Pushing inside button locks outside lever until inside lever is turned. Emergency tool can be used to unlock outside lever. Inside lever always retracts the latch.

5400 - STOREROOM:

Outside lever never retracts the latch. Entrance by key only. Inside lever always retracts the latch.

C5400 - STOREROOM WITH CLUTCH:

Same operation as 5400.

5500 - CLASSROOM:

Outside lever is locked and unlocked with a key in the outside cylinder. The inside lever always retracts the latch.

MFG #	KEYWAY	FINISH	CLUTCH	EZ#
ENTRANCE				
5000LE26D	SC1	Satin Chrome	No	103376
5000LE IC26D	I/C Core	Satin Chrome	No	103377
C5000LE26D	SC1	Satin Chrome	Yes	103351
PASSAGE				
5100LE26D	—	Satin Chrome	—	103363
PRIVACY				
5200LE26D	—	Satin Chrome	—	103366
STOREROOM				
5400LE26D	SC1	Satin Chrome	No	103380
5400LE IC26D	I/C Core	Satin Chrome	No	103381
C5400LE26D	SC1	Satin Chrome	Yes	103355
CLASSROOM				
5500LE26D	SC1	Satin Chrome	No	103384
5500LE IC26D	I/C Core	Satin Chrome	No	103385

DEADLOCKING LATCH			
MFG #	DESCRIPTION	FINISH	EZ #
UDDL2-3/8 26D	2-3/8" Latch	Satin Chrome	103371

LH SERIES KNOBSETS
BHMA
OPENING
GRADE 1

LH1500B

I/C CORE OPTION:

Accepts small format I/C cores from KSP, Kaba Peaks, Falcon & Best (Core not included).

- ANSI/BHMA A156.2, series 4000 Grade 1 certified
- UL listed for "A" label (3 hour) single swing doors
- Heavy-duty knobs and roses combined with corrosion treated heavy-gauge cold-rolled steel mechanisms for quality and durability
- Cylinder: Supplied standard with "SC4" 6 pin brass cylinder
- Keying: Keyed differently
- Cylinder: Supplied with Schlage "C" 6 pin keyway, I/C Core option accepts 6 or 7 pin Best style cores
- Compatible with LSDA C500 cylinders as well as many other retrofit and high security brands
- Door thickness: 1-3/8" to 2" standard
- Door preparation: ANSI 161, 2 1/8" diameter bore, 2-1/4" x 1-1/8" latch face
- Non-handed
- Standard strike: ANSI 4-7/8" x 1-1/4" full lip, ASA
- Knobs and roses are stainless steel, brass or bronze
- Backset: 2-3/4", 2-3/8" available
- Latch: Solid brass 1/2" throw
- Faceplate adjustable for flat or beveled doors 2-1/4" x 1-1/8"
- Case: Corrosion treated heavy gauge, cold-rolled, steel mechanisms

LH1000 – ENTRANCE/OFFICE:

Pushing and turning inside button locks outside knob requiring use of key until button is manually unlocked. Pushing inside button locks outside knob until unlocked with a key or inside knob is turned. Inside knob always retracts the latch.

LH1100 – PASSAGE:

Both knobs always retract the latch.

LH1200 – PRIVACY:

Pushing inside button locks outside knob until inside knob is turned. Emergency tool can be used to unlock outside knob. Inside knob always retracts the latch.

LH1400 – STOREROOM:

Outside knob never retracts the latch. Entrance by key only. Inside knob always retracts the latch.

LH1500 – CLASSROOM:

Outside knob is locked and unlocked with a key in the outside cylinder. The inside knob always retracts the latch.

LH1800 - CLASSROOM INTRUDER LOCK:

During an emergency situation, a teacher can lock their classroom without having to open the door and expose themselves to whoever may be in the corridor. The exterior knob is disabled by means of either the exterior or the interior lock cylinder. Inside knob always allows free egress. Key required in either side to lock knobs.

LH1900 – INSTITUTIONAL:

Neither knob retracts the latch. A key is required in either the inside or outside cylinder to retract the latch.

MFG #	KEYWAY	FINISH	EZ #
ENTRANCE			
LH1000B3	SC1	3	009170
LH1000B32D	SC1	32D	009171
LH1000B IC32D	I/C Core	32D	091032
PASSAGE SETS			
LH1100B3	—	3	009176
LH1100B32D	—	32D	009177
PRIVACY SETS			
LH1200B3	—	3	009182
LH1200B32D	—	32D	009183
STOREROOM			
LH1400B3	SC1	3	009194
LH1400B32D	SC1	32D	009195
LH1400B IC32D	I/C Core	32D	091033
CLASSROOM LOCKS			
LH1500B32D	SC1	32D	009201
LH1500B IC32D	I/C Core	32D	091034
CLASSROOM INTRUDER			
LH1800B32D	SC1	32D	091176
INSTITUTIONAL			
LH1900B3	SC1	3	066233
LH1900B32D	SC1	32D	009206

4000 SERIES KNOBSETS

GRADE 1
LEVERS & KNOBS

BHMA
A156.25
GRADE 1



- ANSI/BHMA A156.25 series 4000 Grade 1 certified
- UL listed 3 hour fire rated, 10C/UBC 7-2 positive pressure
- Cylinder: Supplied with Schlage "C" 6 pin keyway, I/C Core option accepts 6 or 7 pin Best style cores
- Compatible with LSDA C500 cylinders as well as many other retrofit and high security brands
- Latchbolt: 2-3/4" backset, 2-3/8" UL listed latch available
- Door thickness: 1-3/8" to 2"
- Non-handed


I/C CORE OPTION:

Accepts small format I/C cores from KSP, Kaba Peaks, Falcon & Best (Core not included).

4000 – ENTRANCE/OFFICE:

Pushing and turning inside button locks outside knob requiring use of key until button is manually unlocked. Pushing inside button locks outside knob until unlocked with a key or inside knob is turned. Inside knob always retracts the latch.

4100 – PASSAGE:

Both knobs always retract the latch.

4200 – PRIVACY:

Pushing inside button locks outside knob until inside knob is turned. Emergency tool can be used to unlock outside knob. Inside knob always retracts the latch.

4400 – STOREROOM:

Outside knob never retracts the latch. Entrance by key only. Inside knob always retracts the latch.


4500 – CLASSROOM:

Outside knob is locked and unlocked with a key in the outside cylinder. The inside knob always retracts the latch.

MFG #	KEYWAY	FINISH	EZ#
ENTRANCE			
4000B32D IC2-3/4UL	I/C Core	32D	103404
4000B32D SC4 2-3/4UL	SC1	32D	103403
PASSAGE			
4100B32D2-3/4UL	—	32D	103406
PRIVACY			
4200B32D2-3/4UL	—	32D	103408
STOREROOM			
4400B IC32D2-3/4UL	I/C Core	32D	103411
4400B32D SC4 2-3/4UL	SC1	32D	103410
CLASSROOM			
4500B32D IC2-3/4UL	I/C Core	32D	103414
4500B32D SC4 2-3/4UL	SC1	32D	103413
INSTITUTIONAL			
4900B32D SC4 2-3/4UL	SC1	32D	105686

GRADE 1 LATCHES & ACCESSORIES


238DL26D



5LINK

Use in conjunction with a 2-3/4" latch to achieve 5" backset



TPSFIC428

MFG #	FINISH	BACKSET	EZ #
DEADLATCH			
234DL3	3	2-3/4"	009815
234DL32D	32D	2-3/4"	009816
238DL26D	26D	2-3/8"	009821
SPRING LATCH			
234SL32D	32D	2-3/4"	009819
EXTENSION LATCH			
5LINK	—	5"	090846
IC REPLACEMENT YOKES			
TPSFIC428	All Except LFC2000IC		089968
TPSFIC480	LFC2000IC		089969

800 SERIES "VANCOUVER" LEVERSETS

BHMA
CERTIFIED
GRADE 2



VANCOUVER

BENEFITS OF A "CLUTCH" LEVER:

A lever lock with a clutch does not stay rigid when it is locked. The lever moves, just like it does when unlocked. However, it does not retract the latch. This "free-wheeling" feature absorbs torque and can extend the life of a lever lock.

800 – ENTRANCE/OFFICE:

Pushing and turning inside button locks outside lever requiring use of key until button is manually unlocked. Pushing inside button locks outside lever until unlocked with a key or inside lever is turned. Inside lever always retracts the latch.

C800 - ENTRANCE/OFFICE WITH CLUTCH:

Same operation as 800.

810 – PASSAGE:

Both levers always retract the latch.

820 – PRIVACY:

Pushing inside button locks outside lever until inside lever is turned. Emergency tool can be used to unlock outside lever. Inside lever always retracts the latch.

830 - EXIT:

Lever inside, always retracts latch. Blank plate outside.

840 – STOREROOM:

Outside lever never retracts the latch. Entrance by key only. Inside lever always retracts the latch.

C840 - STOREROOM WITH CLUTCH:

Same operation as 840.

850 – CLASSROOM:

Outside lever is locked and unlocked with a key in the outside cylinder. The inside lever always retracts the latch.

C850 - CLASSROOM WITH CLUTCH:

Same operation as 850

870 - COMMUNICATING:

Key in either lever locks or unlocks that lever.

890 - INSTITUTIONAL:

Both levers always rigid. Key in either lever retracts latch.

- ANSI/BHMA A156.2-2003, series 4000 Grade certified
- UL listed 3 hr fire rated, UL 10C / UBC7-2 positive pressure
- Door thickness: 1-3/8" to 2"
- Latchbolt: 2-3/4" backset, UL listed, 2-3/8" UL listed latch available
- Non-handed
- Cylinder: Supplied with Schlage "C" 6 pin keyway, I/C Core option accepts 6 or 7 pin Best style cores
- Compatible with LSDA C500 cylinders as well as many other retrofit and high security brands
- Vancouver design: Two-step rose




I/C CORE OPTION:

Accepts small format I/C cores from KSP, Kaba Peaks, Falcon & Best (Core not included).

**LGRADE 2
LEVERS, KNOBS
& DEADBOLTS**

MFG #	KEYWAY	FINISH	CLUTCH	EZ #
ENTRANCE				
800VA26D IC2-3/4UL	I/C Core	26D	No	103428
C800VA3LC2-3/4UL	Less Cylinder	3	Yes	105663
C800VA3SC4 2-3/4UL	SC1	3	Yes	105662
C800VA26D LC2-3/4UL	Less Cylinder	26D	Yes	105659
C800VA26D SC4 2-3/4UL	SC1	26D	Yes	105661
PASSAGE				
810VA3 2-3/4UL	—	3	No	105666
810VA26D2-3/4UL	—	26D	No	103429
PRIVACY				
820VA3 2-3/4UL	—	3	No	105668
820VA26D2-3/4UL	—	26D	No	103430
EXIT				
830VA26D LC2-3/4UL	—	26D	No	105669
STOREROOM				
840VA26D IC2-3/4UL	I/C Core	26D	No	103432
C840VA3LC2-3/4UL	Less Cylinder	3	Yes	105670
C840VA3SC4 2-3/4UL	SC1	3	Yes	105673
C840VA26D LC2-3/4UL	Less Cylinder	26D	Yes	105777
C840VA26D SC4 2-3/4UL	SC1	26D	Yes	105672
CLASSROOM				
C850VA26D SC4 2-3/4UL	SC1	26D	Yes	105677
COMMUNICATING				
870VA26D SC4 2-3/4UL	SC1	26D	No	105675
INSTITUTIONAL				
890VA26D SC4 2-3/4UL	SC1	26D	No	105678

800 SERIES "EDMONTON" LEVERSETS
BHMA
GRATED
GRADE 2

EDMONTON
BENEFITS OF A "CLUTCH" LEVER:

A lever lock with a clutch does not stay rigid when it is locked. The lever moves, just like it does when unlocked. However, it does not retract the latch. This "free-wheeling" feature absorbs torque and can extend the life of a lever lock.

- ANSI/BHMA A156.2-2003, series 4000 Grade 2 certified
- UL listed 3 hr fire rated, UL 10C / UBC7-2 positive pressure
- Door thickness: 1-3/8" to 2"
- Latchbolt: 2-3/4" backset, UL listed, 2-3/8" UL listed latch available
- Non-handed
- Cylinder: Supplied with Schlage "C" 6 pin keyway, I/C Core option accepts 6 or 7 pin Best style cores
- Compatible with LSDA C500 cylinders as well as many other retrofit and high security brands
- Edmonton design: Flat-face rose

C800 - ENTRANCE/OFFICE WITH CLUTCH:

Pushing and turning inside button locks outside lever requiring use of key until button is manually unlocked. Pushing inside button locks outside lever until unlocked with a key or inside lever is turned. Inside lever always retracts the latch.

810 - PASSAGE:

Both levers always retract the latch.


820 - PRIVACY:

Pushing inside button locks outside lever until inside lever is turned. Emergency tool can be used to unlock outside lever. Inside lever always retracts the latch.

C840 - STOREROOM WITH CLUTCH:

Outside lever never retracts the latch. Entrance by key only. Inside lever always retracts the latch.

MFG #	KEYWAY	FINISH	CLUTCH	EZ #
ENTRANCE				
C800ED26D SC4 2-3/4UL	SC1	26D	Yes	105660
PASSAGE				
810ED26D2-3/4UL	—	26D	No	105665
PRIVACY				
820ED26D2-3/4UL	—	26D	No	105667
STOREROOM				
C840ED26D SC4 2-3/4UL	SC1	26D	Yes	105671

GRADE 2 LATCHES, EXTENSION LINK & CYLINDER

K0UL32D

K105 32D

KCYL26D

KEL5

- Use in conjunction with 2-3/4" latch to achieve 5" backset

MFG #	FINISH	BACKSET	TYPE	EZ #
DEAD LATCHES				
K104 32D	32D	2-3/8"	Drive-In	105718
K105 32D	32D	2-3/4"	Drive-In	105719
K085UL3	3	2-3/8"	UL	105556
K085UL32D	32D	2-3/8"	UL	103529
K096UL3	3	2-3/4"	UL	105557
K096UL32D	32D	2-3/4"	UL	103350
SPRING LATCHES				
K005UL3	3	2-3/8"	UL	105699
K005UL32D	32D	2-3/8"	UL	105136
K014UL32D	32D	2-3/4"	UL	105137
EXTENSION LINK				
KEL5	—	5"	—	105701
CYLINDER				
MFG #	FINISH	KEYWAY	EZ #	
KCYL26D	26D	SC1	103345	

100B SERIES KNOBSETS
BHMA
certified
GRADE 2

100B 3

* WR3 keyway accepts pins up to Weiser size 7

* For requirements other than keying alike, please purchase locks less cylinder and add Ilco 15995WE26D OB cylinder (EZ # 084667)



For a wide variety of keyways other than the stocked SC1 or WR3 keyway, please see our LSDA C500 & Ilco 15995 Universal Cylinders.

100 – ENTRANCE/OFFICE:

Pushing and turning inside button locks outside knob requiring use of key until button is manually unlocked. Pushing inside button locks outside knob until unlocked with a key or inside knob is turned. Inside knob always retracts the latch.

110 – PASSAGE:

Both knobs always retract the latch.

120 – PRIVACY:

Pushing inside button locks outside knob until inside knob is turned. Emergency tool can be used to unlock outside knob. Inside knob always retracts the latch.

130 – EXIT LOCK:

Knob Inside, blank plate outside.

140 – STOREROOM:

Outside knob never retracts the latch. Entrance by key only. Inside knob always retracts the latch.

150 – CLASSROOM:

Outside knob is locked and unlocked with a key in the outside cylinder. The inside knob always retracts the latch.



190 – INSTITUTIONAL:

Both levers fixed. Entrance by key in either side.

- ANSI/BHMA A156.2 series 4000, Grade 2 certified
- UL/cUL listed for fire rated openings
- Cylindrical lock housing made of cold rolled steel mechanisms, zinc dichromated for corrosion resistance
- Strike: 4-7/8" x 1-1/4"
- Door: Adjustable from 1-3/8" to 1-3/4"
- Backset: 2-3/4", 2-3/8" available
- Cylinder: Supplied with Schlage "C" 6 pin keyway standard, I/C Core option accepts 6 or 7 pin Best style cores
- Compatible with LSDA C500 cylinders as well as many other retrofit and high security brands


MFG #	FINISH	KEYWAY	EZ #
ENTRANCE			
100B 3 2-3/4UL ASA	3	SC1	062115
100B3LC2-3/4UL ASA	3	Less Cylinder	062116
100BWE 3 2 3/4 UL ASA	3	WR3 *	066246
100B 5A 23/4 UL ASA	5A	SC1	062120
100B 32D 23/4 UL ASA	32D	SC1	062114
100B32D LC2-3/4UL ASA	32D	Less Cylinder	062100
100B32D LLLC	32D	Less Cylinder, Less Latch	009311
100B IC32D2-3/4UL	32D	I/C Core	102312
100B32D WE2-3/4UL ASA	32D	WR3 *	066247
PASSAGE			
110B3 2-3/4UL ASA	3	—	062113
110B 5A 23/4 UL ASA	5A	—	062124
110B 32D 23/4 UL ASA	32D	—	062111
110B 32D LL	32D	SC1, Less Latch	009337
PRIVACY			
120B3 2-3/4UL ASA	3	—	062094
120B 32D 23/4 UL ASA	32D	—	062093
EXIT LOCK			
130B3 2-3/4UL ASA	3	—	085539
130B32D2 3/4UL ASA	32D	—	085540
STOREROOM			
140B 3 23/4 UL ASA	3	SC1	062117
140B3WE2-3/4UL ASA	3	WR3 *	066248
140B 32D 23/4 UL ASA	32D	SC1	062112
140B32D LC2-3/4UL ASA	32D	Less Cylinder	062102
140B32D WE2-3/4UL ASA	32D	WR3 *	066249
140B IC32D2-3/4UL	32D	I/C Core	102313
CLASSROOM			
150B3LC2-3/4UL ASA	3	Less Cylinder	062119
150B32D LC2-3/4UL ASA	32D	Less Cylinder	062105
150B32D SC2-3/4UL ASA	32D	SC1	062104
INSTITUTIONAL			
190B3 2 3/4UL ASA	3	SC1	085543
190B32D2 3/4UL ASA	32D	SC1	085544

**LGRADE 2
LEVERS, KNOBS
& DEADBOLTS**

260 SERIES DEADBOLTS
BHMA
certified
GRADE 2

260

265

- Removable anti-pry shield protects latch
- Bolt contains 1" hardened steel pin inside to prevent attack by sawing
- Removable solid brass 6 pin cylinder (pinned 5) standard, I/C Core option accepts 6 or 7 pin Best style cores
- Compatible with LSDA C500 cylinders as well as many other retrofit and high security brands
- Standard dust box included
- Non-handed
- Door thickness: 1-3/8" to 1-3/4" standard
- Backset: 2-3/4" standard, 2-3/8" available
- Faceplate: 1-1/8" x 2-1/4"
- Strike: 1-1/8" x 2-3/4" lip to centre with steel reinforcer and two 3" screw to resist kick-in attacks standard
- ANSI/BHMA A 156.5 series 400, Grade 2 certified
- UL/cUL listed, safety standards listed for 3 hour doors, UL 10C and UBC 7-2 (1997)

MFG #	KEYWAY	FINISH	EZ #
SINGLE CYLINDER			
260 3S2-3/4UL	SC1	Polished Brass	105687
260 3W2-3/4UL	WR3	Polished Brass	105688
260 26D S2-3/4UL	SC1	Satin Chrome	107305
260 32D S2-3/4UL	SC1	Satin Stainless	105689
260 32D W2-3/4UL	WR3	Satin Stainless	105690
260IC32D2-3/4UL	I/C Core	Satin Stainless	105933
DOUBLE CYLINDER			
265 3S2-3/4UL	SC1	Polished Brass	105691
265 3W2-3/4UL	WR3	Polished Brass	105692
265 32D S2-3/4UL	SC1	Satin Stainless	105693
265 32D W2-3/4UL	WR3	Satin Stainless	105694

BOLTS FOR 260 SERIES DEADBOLT


- Fixed 2-3/8" backset for 260 series deadbolts
- Sawresistant hardened steel insert

MFG #	BACKSET	FINISH	EZ #
ULB238 3	2-3/8"	Polished Brass	105695
ULB238 32D	2-3/8"	Satin Stainless	105696

220 SERIES DEADBOLTS
BHMA
 CERTIFIED
GRADE 2

220 32D

225IC



For a wide variety of keyways other than the stocked SC1 or WR3 keyways, please see our LSDA C500 & Ilco 15995 Universal Cylinders.




Millennium Brass
 Lifetime Finish Guaranteed

- Massive 1" cUL throw adjustable backset bolt with hardened steel rod to resist sawing
- Security strike with 3" long screws
- Removable solid brass 6 pin cylinder (pinned 5) standard, I/C Core option accepts 6 or 7 pin Best style cores
- Compatible with LSDA C500 cylinders as well as many other retrofit and high security brands
- Accepts many after market & high security cylinders
- Rotating collar with inserts that resist wrenching
- All metal construction
- All exposed components are brass or stainless steel
- ANSI/BHMA A 156.2 series 4000, Grade 2 certified
- UL/cUL listed, safety standards listed for 3 hour doors, UL 10C and UBC 7-2 (1997)

MFG #	FINISH	KEYWAY	EZ #
SINGLE CYLINDER			
220 3S ADJ UL	Polished Brass	SC1	063536
220 3W ADJ UL	Polished Brass	WR3	083103
220 5S ADJ UL	Antique Brass	SC1	063537
220 15A W ADJ UL	Antique Nickel	WR3	078925
220 15W ADJ UL	Satin Nickel	WR3	082759
220 32D S ADJ UL	Satin Stainless	SC1	063538
220 32D W ADJ UL	Satin Stainless	WR3	083983
220IC32D ADJ UL	Satin Stainless	I/C Core	085248
220IC MB3 ADJ UL	Millennium Brass	I/C Core	085249
220MB3S ADJ UL	Millennium Brass	SC1	068820
DOUBLE CYLINDER			
225 3S ADJ UL	Polished Brass	SC1	063539
225 3W ADJ UL	Polished Brass	WR3	083104
225 5S ADJ UL	Antique Brass	SC1	063540
225 15A W ADJ UL	Antique Nickel	WR3	078926
225 32D S ADJ UL	Satin Stainless	SC1	063541
225IC32D ADJ UL	Satin Stainless	I/C Core	085250
225MB3S ADJ UL	Millennium Brass	SC1	068821

220 SERIES ADJUSTABLE BOLTS & THICK DOOR PACKAGE

9060N32D

9026N

TPIC563

9512N32D

9511N3

IC TAILPIECE		
MFG #	SERIES	EZ #
TPIC563	220IC	100468

2-1/4" THICK DOOR PACKAGE			
MFG #	SERIES	FINISH	EZ #
9511N3	220	Polished Brass	076438
9511N32D	220	Satin Stainless	076439
9512N3	225	Polished Brass	076440
9512N32D	225	Satin Stainless	076441

ADJUSTABLE 2-3/8" TO 2-3/4" BOLT FOR SERIES 220 & 225			
MFG #	TYPE	FINISH	EZ #
9026N	Drive-In	Satin Stainless	081030
9060N3	Standard	Polished Brass	080753
9060N32D	Standard	Satin Stainless	080755

50 SERIES TUBULAR LEVERSETS


52LY11P
LY style in
Venetian Bronze



51LU26D
LU style in
Satin Chrome



52C05VP
CO style in
Antique Brass



51LH MB3W
LH style in
Millennium Brass



50LA 15A
LA style in
Antique Nickel



50LA 15
LA style in
Satin Nickel



Millennium Brass
Lifetime Finish Guaranteed

- Adjustable 2-3/8" or 2-3/4" backset
- Full 1/2" latch projection
- ANSI/BHMA A156.2, series 4000 Grade 3 compliant
- 1-3/8" to 1-3/4" door thickness
- Levers and roses are stainless steel or brass
- Mechanism is constructed of steel
- All keyed levers are stocked WR3 keyway
- Replacement SC1 keyway cylinder for 50 series "entrance function" levers:
 - » CYL50S CH EZ# 103320, chrome finish
 - » CYL50S BR EZ# 103319, brass finish

MFG #	DESIGN	HANDING	FINISH	EZ #
ENTRANCE				
50LA15A W4WAY	LA	Both	Antique Nickel	104831
50LA15W4WAY	LA	Both	Satin Nickel	104832
50LA MB3W4WAY	LA	Both	Millennium Brass	104830
50LH MB3W KA4VP4WAY	LH	Both	Millennium Brass	104823
50LU26D W KA4VP	LU	Both	Satin Chrome	079032
50LU MB3W KA4VP	LU	Both	Millennium Brass	079034
50LY11P W KA4 4WAY	LY	Both	Venetian Bronze	104826
PASSAGE				
51C03VP4WAY	CO	Both	Polished Brass	104819
51C05VP4WAY	CO	Both	Antique Brass	104820
51LA15 4WAY	LA	Both	Satin Nickel	104835
51LA15A4WAY	LA	Both	Antique Nickel	104834
51LA MB3 4WAY	LA	Both	Millennium Brass	104833
51LH MB3VP4WAY	LH	Both	Millennium Brass	104824
51LU26D VP	LU	Both	Satin Chrome	079035
51LU MB3VP	LU	Both	Millennium Brass	079037
51LY11P4WAY	LY	Both	Venetian Bronze	104827
PRIVACY				
52C03VP4WAY	CO	Both	Polished Brass	104821
52C05VP4WAY	CO	Both	Antique Brass	104822
52LA15 4WAY	LA	Both	Satin Nickel	104837
52LA15A4WAY	LA	Both	Antique Nickel	104838
52LA LH MB3	LA	Left	Millennium Brass	078996
52LA RH MB3	LA	Right	Millennium Brass	079000
52LA MB3 4WAY	LA	Both	Millennium Brass	104836
52LH MB3VP4WAY	LH	Both	Millennium Brass	104825
52LU26D VP	LU	Both	Satin Chrome	079038
52LU MB3VP	LU	Both	Millennium Brass	079040
52LY11P4WAY	LY	Both	Venetian Bronze	104829
DUMMY				
53LA15LH	LA	Left	Satin Nickel	090091
53LA15RH	LA	Right	Satin Nickel	090092
53LU26D	LU	Both	Satin Chrome	085404

10 SERIES CYLINDRICAL LOCKSETS

10B 3 / 10B MB3

14B32D

- Built on a cylindrical lock chassis using high quality brass & steel
- 5 pin solid brass cylinder
- Adjustable 2-3/8" to 2-3/4" universal latch
- 2-3/8" and 2-3/4" drive-in latches are available
- Full 1/2" projecting deadlatch
- Adjustable 1-3/8" to 1-3/4" door thickness

* MB11B3 RFL is drive-in whereas all others have standard latches


GRADE 3
LEVERS, KNOBS
& DEADBOLTS

MFG #	FINISH	KEYWAY	EZ #
ENTRANCE			
10B 3W KA4	Polished Brass	WR3	035957
10B MB3S KA4	Millennium Brass	SC1	068827
10B MB3W KA4	Millennium Brass	WR3	068809
10B3S KA4	Polished Brass	SC1	062595
10B5S KA4	Antique Brass	SC1	062596
10B5W KA4	Antique Brass	WR3	035960
10B11P W	Venetian Bronze	WR3	091343
10B15W KA4	Satin Nickel	WR3	082760
10B32D S KA4	Satin Stainless	SC1	062597
10B32D W KA4	Satin Stainless	WR3	035963
PASSAGE			
11B3	Polished Brass	—	009752
11B5	Antique Brass	—	009754
11B11P	Venetian Bronze	—	091345
11B15	Satin Nickel	—	078114
11B32D	Satin Stainless	—	009753
11B MB3	Millennium Brass	—	068826
MB11B3 RFL *	Millennium Brass	—	071624
PRIVACY			
12B3	Polished Brass	—	009775
12B5	Antique Brass	—	009777
12B11P	Venetian Bronze	—	091346
12B15	Satin Nickel	—	078130
12B32D	Satin Stainless	—	009776
STOREROOM			
14B3W KA4	Polished Brass	WR3	035971
14B32D S KA4	Satin Stainless	SC1	062600
14B32D W KA4	Satin Stainless	WR3	035973



Millennium Brass
Lifetime Finish Guaranteed


00 SERIES TUBULAR KNOBSETS


00B3W KA4

01G9/32D
Tulip knob with Bronze
& Stainless Steel finish


- Residential locksets with tubular mechanism
- Adjustable 2-3/8" or 2-3/4" backset; Full 1/2" latch projection
- "4-Way" latches can be used for standard or drive-in installations
- ANSI/BHMA A156.2 series 4000, Grade 3 compliant
- 1-3/8" to 1-3/4" door thickness
- Knobs and roses are stainless steel or brass
- Mechanism is constructed of steel

MFG #	STYLE	FINISH	KEYWAY	EZ #
ENTRANCE				
00B3W KA4	Ball	Polished Brass	WR3	100465
00B32D W KA4	Ball	Satin Stainless	WR3	102311
00G3W KA4	Tulip	Polished Brass	WR3	041128
00G32D W KA4	Tulip	Satin Chrome	WR3	045335
00G9/32D W KA4	Tulip	Split	WR3	102634
PASSAGE				
01B3	Ball	Polished Brass	—	070163
01B32D	Ball	Satin Stainless	—	070160
01G3	Tulip	Polished Brass	—	009699
01G32D	Tulip	Satin Chrome	—	009700
01G9/32D	Tulip	Split	—	102635
PRIVACY				
02B3	Ball	Polished Brass	—	070162
02B32D	Ball	Satin Stainless	—	070159
02G9/32D	Tulip	Split	—	102636


GRADE 3 REPLACEMENT LATCHES

9007N32D

9072N3

9081N32D

9077N3

9082N32D

9078N3



MFG #	BACKSET	FINISH	DRIVE-IN	LATCH TYPE	EZ #
FOR SERIES 00, 50					
9077N3	2-3/8 & 2-3/4"	Polished Brass	Yes, 4 Way	Dead	069248
FOR SERIES 10, 14					
9007N32D	2-3/4"	Satin Stainless	Yes	Dead	073161
9081N3	2-3/8 & 2-3/4"	Polished Brass	—	Dead	069254
9081N32D	2-3/8 & 2-3/4"	Satin Stainless	—	Dead	069256
FOR SERIES 11, 12					
9005N32D	2-3/4"	Satin Stainless	Yes	Spring	073162
9082N3	2-3/8 & 2-3/4"	Polished Brass	—	Spring	069257
9082N32D	2-3/8 & 2-3/4"	Satin Stainless	—	Spring	069258
FOR SERIES 01, 40, 51 & 52					
9012 3	2-3/8"	Polished Brass	—	Spring	027749
9072N3	2-3/8 & 2-3/4"	Polished Brass	—	Spring	069246
9072N5	2-3/8 & 2-3/4"	Antique Brass	—	Spring	069247
9078N3	2-3/8 & 2-3/4"	Polished Brass	Yes, 4 Way	Spring	069251

20 SERIES SOLID CYLINDER DEADBOLTS

20 3
20 3

- Full 1" throw deadbolt with hardened steel rod insert
- 5 pin tumbler solid brass cylinder
- Revolving cylinder collar resists any attempt at twist-off
- Solid brass one piece cylinder housing
- Door thickness adjustable for door 1-3/8" to 1-3/4"
- UL adjustable bolt 2-3/8" or 2-3/4" backset
- * 20 32D S KA4 is stocked with a 4-way bolt
- * 20MB3W ADJ DI KA4 is drive-in whereas all others have standard bolts


22 3
22 3 SPIN TO LOCK

- Spin to lock function by spinning outside cylinder collar
- Outside locking by key
- Blocker button inside prevents access by key from outside when button is engaged


26 32D

20 11P

MFG #	FINISH	KEYWAY	EZ #
SINGLE CYLINDER			
20 3K KA2 9060	Polished Brass	KW1	074287
20 3S ADJ UL KA2	Polished Brass	SC1	080386
20 3W ADJ UL KA2	Polished Brass	WR3	074288
20 5K ADJ UL KA2	Antique Brass	KW1	074285
20 5W ADJ UL KA2	Antique Brass	WR3	074286
20 11P W	Venetian Bronze	WR3	091349
20 15A W KA4	Antique Nickel	WR3	078924
20 15W ADJ UL KA2	Satin Nickel	WR3	082761
20 32D K ADJ UL KA2	Satin Stainless	KW1	074283
20 32D S ADJ UL KA2	Satin Stainless	SC1	076518
20 32D S KA4 *	Satin Stainless	SC1	062603
20 32D W ADJ UL KA2	Satin Stainless	WR3	074284
20MB3S ADJ UL KA4	Millennium Brass	SC1	074292
20MB3W ADJ UL KA4	Millennium Brass	WR3	074293
20MB3W ADJ DI KA4 *	Millennium Brass	WR3	071623
DOUBLE CYLINDER			
25 3W ADJ UL KA2	Polished Brass	WR3	074289
25 5W ADJ UL KA2	Antique Brass	WR3	074291
25 11P W	Venetian Bronze	WR3	091352
25 15A W KA4	Antique Nickel	WR3	078927
25 15W KA2	Satin Nickel	WR3	082762
25 32D W ADJ UL KA2	Satin Stainless	WR3	074290
25MB3S ADJ UL KA4	Millennium Brass	SC1	074294
25MB3W ADJ UL KA4	Millennium Brass	WR3	074295
SPIN TO LOCK			
22 3W VP	Polished Brass	WR3	076080
THUMBTURN BOLT			
26 3ADJ UL	Polished Brass	—	075324
26 32D ADJ UL	Satin Stainless	—	075048


20R SERIES REMOVABLE CYLINDER DEADBOLT

20R BACK SIDE


For a wide variety of keyways other than the stocked SC1 or WR3 keyway, please see our LSDA C500 & Ilco 15995 Universal Cylinders.


- Full 1" throw bolt with hardened steel rod insert
- Revolving cylinder collar resists any attempt at twist-off
- Door thickness adjustable for door 1-3/8" to 1-3/4"
- UL adjustable bolt 2-3/8" or 2-3/4" backset
- Removable solid brass 6 pin cylinder (pinned 5) standard
- Compatible with LSDA C500 cylinders as well as many other retrofit and high security brands

MFG #	FINISH	KEYWAY	EZ #
SINGLE CYLINDER			
20R3S ADJ UL KA4	Polished Brass	SC1	086306
20R3W ADJ UL KA4	Polished Brass	WR3	086307
20R32D S ADJ UL KA4	Satin Stainless	SC1	086309
20R32D W ADJ UL KA4	Satin Stainless	WR3	086310
DOUBLE CYLINDER			
25R3W ADJ UL KA4	Polished Brass	WR3	086313
25R32D S ADJ UL KA4	Satin Stainless	SC1	086315
25R32D W ADJ UL KA4	Satin Stainless	WR3	086316

GRADE 3 BOLTS, THICK DOOR PACKAGES, STRIKES & CYLINDER CAP REMOVAL TOOL

9060N32D

9026N

9511N3

9370N32D

9512N32D

20CAPTOOL

MFG #	FINISH	TYPE	EZ #
ADJUSTABLE 2-3/8" OR 2-3/4" BOLT			
9026N	Satin Stainless	Drive-In	081030
9060N3	Polished Brass	Standard	080753
9060N32D	Satin Stainless	Standard	080755
MFG #	FINISH	SERIES	EZ #
2-1/4" THICK DOOR PACKAGE			
9511N3	Polished Brass	20 & 20R	076438
9511N32D	Satin Stainless	20 & 20R	076439
9512N3	Polished Brass	25 & 25R	076440
9512N32D	Satin Stainless	25 & 25R	076441
2-3/4" X 1-1/8" STRIKE			
9370N32D	Satin Stainless	All	082832

CYLINDER CAP REMOVAL TOOL			
MFG #	DESCRIPTION	TYPE	EZ #
20CAPTOOL	2-in-1 (12 Teeth & 14 Teeth) Cap Tool	20 & 25	106804

40 SERIES ENTRANCE HANDLESETS

MB40EA MB3
Early American

40EA11P
Early American

40EA15A W
Early American

MB40PA MB3
Park Avenue

40GR5
Grenada

40FR 5
Frankfort

MB40PA MB3
Park Avenue

40GR5
Grenada

40FR 5
Frankfort

46ME 11P
Metropolitan

46PL15W
Plantation

LT40LY11P RH

LT40LY15RH

LT40LY MB3RH
40 SERIES

- For doors 1-3/8" to 1-3/4"
- Adjustable backset 2-3/8" or 2-3/4"
- 1" throw solid brass deadbolt
- Reinforced with hardened anti-saw rod
- Revolving cylinder collar
- Key locking outside, turnbutton locking inside
- Centre to centre: Early American & Park Avenue: 8-5/8", Frankfort & Grenada: 5-7/8"

41 SERIES

- Dummy for inactive leaf of double doors

46 SERIES: JUMBO GRIPSET

- Centre to centre: 9-11/16"
- 2-1/8" bore required for deadbolt

* Mount available for 40 & 46 series gripsets, see page 260



Millennium Brass
Lifetime finish Guaranteed

40 SERIES GRIPSET

MFG #	DESIGN	FINISH	FUNCTION	KEYWAY	EZ #
40EA5K	Early American	Antique Brass	2 Piece	KW1	009843
40EA11P W	Early American	Venetian Bronze	2 Piece	WR5	091356
40EA15A W	Early American	Antique Nickel	2 Piece	WR5	078928
40EA15W	Early American	Satin Nickel	2 Piece	WR5	082756
40EA MB3S	Early American	Millennium Brass	2 Piece	SC1	068831
40EA MB3W	Early American	Millennium Brass	2 Piece	WR5	068819
40FR5K KD	Frankfort	Antique Brass	2 Piece	KW1	009844
40GR5K KD	Grenada	Antique Brass	2 Piece	KW1	035997
40PA15W	Park Avenue	Satin Nickel	2 Piece	WR5	091359
40PA MB3W	Park Avenue	Millennium Brass	2 Piece	WR5	091361
41EA MB3	Early American	Millennium Brass	Dummy	—	074309

46 SERIES JUMBO GRIPSET

46ME15W	Metropolitan	Satin Nickel	2 Piece	WR5	105098
46ME11P W	Metropolitan	Venetian Bronze	2 Piece	WR5	105100
46ME MB3W	Metropolitan	Millennium Brass	2 Piece	WR5	105102
46PL15W	Plantation	Satin Nickel	2 Piece	WR5	105092
46PL11P W	Plantation	Venetian Bronze	2 Piece	WR5	105094
46PL MB3W	Plantation	Millennium Brass	2 Piece	WR5	105096

CYLINDER FOR 40 & 46 SERIES HANDLESET

MFG #	FINISH	KEYWAY	EZ #
CYL40S11P	Venetian Bronze	SC1	106476
CYL40S15	Satin Nickel	SC1	106475
CYL40S MB3	Millennium Brass	SC1	106477

OPTIONAL INTERIOR LEVER TRIMS

MFG #	FINISH	HAND	EZ#
LT40LY11P LH	Venetian Bronze	Left	103077
LT40LY11P RH	Venetian Bronze	Right	103078
LT40LY15LH	Satin Nickel	Left	103075
LT40LY15RH	Satin Nickel	Right	103076
LT40LY MB3LH	Millennium Brass	Left	103073
LT40LY MB3RH	Millennium Brass	Right	103074

PD9200 SERIES EXIT DEVICES
BHMA
ANSI A156.3
GRADE 1
UL
US

PD9200V

PD9200R

- Maximum 3-13/16" projection
- Heavy wrought steel centre case
- Flush end cap with stamped steel bracket
- Max. door thickness for trim: 1-3/4" - 2-1/4"
- Door preparation: Surface application, plus trim prep
- Max. door width: Up to 36"
- Non-handed
- ANSI/BHMA: UL listed for UL305 and ANSI A156.3-2008 Grade 1 panic hardware and UL10C 3 hr fire exit hardware and UBC7-2
- UL and cUL listed: Files # SA7474 and R26113
- All stock in satin stainless steel

RIM EXIT DEVICE

- Standard strike: Surface applied, double door strike is available
- Deadlocking latch, stainless steel 3/4" throw

SURFACE VERTICAL ROD DEVICE

- Standard strike: Surface applied top strike, mortise required for bottom strike
- Top & bottom latches have stainless steel 5/8" throw, deadlocking Pullman type
- Door height: Standard is 7'0"
- Top and bottom rods have vertical adjusters in the centre case

MFG #	TYPE	MAX. DOOR WIDTH SIZE	EZ #
PD9200R630S 36	Rim Exit	36"	102936
PDF9200R630S 36	Fire Rated Rim Exit	36"	103991
PD9200V630S 36	Vertical Rod	36"	102937

PD9200 SERIES EXIT DEVICE TRIM OPTIONS

PDCAM

PDCDKIT36

PD DDS BLK

PDT22RV630

PDT23RV630

PDT26RV626
PDT22RV630

- Pull and plate, uses rim cylinder for night latch function

PDT23RV630


- Pull and plate, with thumb button, uses rim cylinder for classroom function

PDT26RV626

- Lever and escutcheon, uses mortise cylinder for classroom function; break-away cam

MFG #	DESCRIPTION	FINISH	EZ #
PDCAM	Trim Breakable Cam	Satin Chrome	103535
PDCDKIT36	Cylinder Dogging Kit	Satin Chrome	103530
PD DDS BLK	Double Door Strike	Black	103536
PDDOG	Dogging Assembly	—	106499
PDSVTR8 626	SVR EXT Kit For 8FT Door	Satin Chrome	103531
PDSVT EXT 626	SVR EXT Kit For 10FT Door	Satin Chrome	103532
PDT22RV630	Pull Plate, Night Latch	Satin Stainless	102938
PDT23RV630	Thumbpiece, Classroom	Satin Stainless	103533
PDT26RV626	Lever Escutcheon, Classroom	Satin Chrome	102939
PDT27RV626	Trim Lever Nightlatch	Satin Chrome	103921
PDT29RV626	Trim Clutch Lever, Classroom	Satin Chrome	103534

PD921 SERIES RIM & VERTICAL ROD EXIT DEVICES

PD921R AL

PD921R DU
PD921V AL

- Designed for commercial interior and exterior doors where panic exit devices are required by code or local jurisdiction
- Rim devices are non-handed
- Vertical rod devices are field reversible
- Devices have all functions built in
- Order trim with the device or add it later
- For 36" or 48" door widths
- 36" rim exit device can be cut back to 25.3"
- 48" rim exit device can be cut back to 27.3"

MFG #	TYPE	MAX. DOOR WIDTH SIZE	FINISH	EZ #
PD921R32D	Rim Exit	36"	Satin Stainless	091336
PD921R AL	Rim Exit	36"	Painted Aluminum	085490
PD921R DU	Rim Exit	36"	Duranodic	085491
PD921R48AL	Rim Exit	48"	Painted Aluminum	103596
PD921R48DU	Rim Exit	48"	Duranodic	103597
PD921V AL	Vertical Rod	36"	Painted Aluminum	085492
PD921V48AL	Vertical Rod	48"	Painted Aluminum	103598
PD921V48DU	Vertical Rod	48"	Duranodic	103599
PD923RF AL	Fire Rated Rim Exit	36"	Painted Aluminum	091334

PD921 SERIES EXIT DEVICE TRIMS

- Max. door thickness: 1-3/4"
- Supplied with cylinder, SC1 keyway
- Knob, lever & pull trims include back plate to retrofit existing 161 key-in-knob holes

KR9240/LR9240: STOREROOM FUNCTION

- Key retracts latchbolt
- Outside entry by trim

KR9250/LR9250: CLASSROOM FUNCTION

- Key locks or unlocks outside trim


KR9240 13
KR9250 13

LR9240 13
LR9250 13

MFG #	TRIM	FINISH	EZ #
STOREROOM TRIM			
KR9240 13	Ball Knob	Duranodic	085495
KR9240 32D	Ball Knob	Satin Stainless	085494
LR9240 13	Lever	Duranodic	085499
LR9240 26D	Lever	Satin Chrome	085498
LRC9240S26D	Lever With Clutch	Satin Chrome	106329
CLASSROOM TRIM			
KR9250 13	Ball Knob	Duranodic	085497
KR9250 32D	Ball Knob	Satin Stainless	085496
LR9250 13	Lever	Duranodic	085501
LR9250 26D	Lever	Satin Chrome	085500
LRC9250S26D	Lever With Clutch	Satin Chrome	106330

PD921 SERIES EXIT DEVICE TRIMS & ACCESSORIES

NLP9240

TP9250

DDS921AL

W92AL
NLP9240

- Supplied with cylinder, SC1 keyway

TP9250

- Key locks or unlocks outside trim
- Supplied with cylinder, SC1 keyway

W92: STOREROOM FUNCTION:

- Key retracts latchbolt
- Outside entry by wing pull
- Cylinder is not included

MFG #	TRIM	FINISH	EZ #
STOREROOM PULL			
W92 AL	Wing Pull	Painted Aluminum	085502
W92DU	Wing Pull	Duranodic	085503
NIGHT LATCH PLATE WITH HANDLE			
NLP9240 26D LHR	LHR	Satin Chrome	102309
NLP9240 26D RHR	RHR	Satin Chrome	102310
THUMBPIECE TRIM			
TP9250 26D LHR	RH	Satin Chrome	100775
TP9250 26D RHR	LH	Satin Chrome	100776
STRIKE FOR DOUBLE DOORS			
DDS921AL	—	Aluminum	101791

PD922RN SERIES RIM EXIT DEVICES & TRIMS
BHMA
CERTIFIED
GRADE 1

PD922
PD922RN

- Designed for narrow stile doors
- ANSI/BHMA Grade 1 certified
- UL listed: SA7474 UL305 & UL10C
- Non-handed
- Max. door thickness for trim: 1-3/4"
- Size: 38" fits doors 30.3" to 3'2" wide doors
- Latch: Deadlocking latch
- 1-7/8" narrow backset

LE9250


- Lever and narrow escutcheon
- Function: Classroom - key locks and unlocks outside lever
- Uses mortise cylinders, any keyway


LE9250 26D


MFG #	TYPE	SIZE	FINISH	EZ #
PD922RN AL	Rim	38"	Aluminum	091332
PD922RN DU	Rim	38"	Duranodic	091333
LE9250 26D	Trim	—	Aluminum	091338
LE9250 13	Trim	—	Duranodic	091339

PREMIER DC6800 SERIES CAST IRON CLOSER, OPTIONAL ARMS & MOUNTING PLATES
BHMA
 GRADE 1


c UL US





Standard Arm (pull side)
 permits 120° maximum
 opening



Top Jamb (push side)
 permits 120° maximum
 opening



Parallel Arm (push side)
 permits 180° maximum
 opening


DP18DU

DP18PA DU

DP18G DU

DP18TJ AL

- Sizes and hole patterns match popular cast iron closers
- LSDA closers are “tri-packed” with everything needed for regular, top jamb and parallel arm mounting
- Heavy duty cast iron body for years of carefree use
- Adjustable power from size 1-6
- Latch & speed adjustments for proper closing timing
- Adjustable back check
- Forged steel arms: Forging creates steel parts with more tensile strength, to resist breakage
- Anti-freeze hydraulic oil for cold climates
- Packed with self-tapping screws, wood screws and sex nuts & bolts for wood, metal or aluminum door installations
- UL listed for US and Canada: UL 10C fire rated
- ANSI/BHMA A156.2 Grade 1 certified

MFG #	FINISH	EZ #
DC6816BC AL	Aluminum	087494
DC6816BC DU	Duranodic	087495

DROP PLATE: DP18AL / DP18DU

- For hinge side mount where top rail is less than 3-3/4"
- Requires 2" minimum top rail

PA DROP PLATE: DP18PA AL / DP18PA DU

- For top rails less than 5-1/2"
- Plate requires 2" minimum top rail

TOP JAMB FLUSH: DP18G AL / DP18G DU

- Puts top jamb mounted closer flush with top of head frame face
- Requires 1-3/4" minimum head frame

TOP JAMB VERTICAL: DP18TJ AL / DP18TJ DU

- Centers top jamb mounted closer vertically
- Requires 1-3/4" minimum head frame

MFG #	TYPE	FINISH	EZ #
DP18AL	Drop Plate	Aluminum	091184
DP18DU	Drop Plate	Duranodic	091185
DP18PA AL	PA Drop Plate	Aluminum	100841
DP18PA DU	PA Drop Plate	Duranodic	100842
DP18G AL	Top Jamb Flush	Aluminum	091188
DP18G DU	Top Jamb Flush	Duranodic	091189
DP18TJ AL	Top Jamb Vertical	Aluminum	091186
DP18TJ DU	Top Jamb Vertical	Duranodic	091187

PREMIER SERIES CAST IRON CLOSER OPTIONAL ARMS, COMMERCIAL CLOSERS & ACCESSORIES
DC6800 SERIES CAST IRON CLOSER OPTIONAL ARMS & SEX BOLTS


DC6816CUARM DU

DC6816HOARM AL

DCSEXNUTS

- For through bolt mounting (package of 4)

MFG #	DESCRIPTION	FINISH	EZ #
DC6816CUARM AL	Cush Arm	Aluminum	087842
DC6816CUARM DU	Cush Arm	Duranodic	087843
DC6816HOARM AL	Cush Hold Open Arm	Aluminum	087921
DCSEXNUTS	Through Bolts	Nickel	082822

DC6120 SERIES MULTI SIZED DOOR CLOSER, OPTIONAL ARMS, DROP PLATE, BRACKET & SEX BOLTS
GRADE 2


A	B	C	D
9-5/8"	1-3/4"	9"	3/4"

Specifically designed for high traffic situations. Can be installed on aluminum storefront doors, interior wood, and hollow metal doors. Ideal for offices, apartments, restaurants, shopping malls and other commercial applications.

FEATURES & APPLICATIONS

- Adjustable power door closer from 1 to 4 with adjustable backcheck
- Adjustable sweep & latch speeds
- Handicap compliant
- Tri-pack mounting options: Regular arm, parallel arm or top jamb mounting
- Available with optional full cover MFG# DCCO K06AL
- For doors up to 187lbs, 42" wide with 180° opening

CONSTRUCTION & TECHNICAL DETAILS

- Constructed with precision aluminum die-cast body & steel arm
- Installed precision needle bearings for high efficiency, smooth operation, and durability
- Built-in pressure relief valve protects the closer against rough use
- Heat treated steel rack & pinion is immersed in high grade oil to give a smooth and precise action with minimum wear
- ANSI Grade 2 compliant, UL listed

* Can be adjusted to size 5 with alternate mounting on door

MFG #	FINISH	EZ #
DC6124PA BC AL	Aluminum	082792
DC6124PA BC DU	Duranodic	082793


DCCO K06AL

DCSEXNUTS

- For through bolt mounting (package of 4)


DCAR B54AL

DCAR A44AL


DCMO K02AL

- For top jamb applications where rail is less than 1-3/4"


DCMO K07AL

- For push side mounting on top jamb applications

MFG #	DESCRIPTION	FINISH	EZ #
DCAR A44AL	Standard Arm	Aluminum	082806
DCAR B54AL	Ratchet Hold Open Arm	Aluminum	082808
DCCO K06AL	Full Cover	Aluminum	082812
DCMO K02AL	Top Rail Drop Plate	Aluminum	082816
DCPA K07AL	Angle Bracket	Aluminum	082818
DCSEXNUTS	Through Bolts	Nickel	082822

GRADE 3 SIZE 4 CLOSER, ECONOMY CLOSER & DOOR CLOSER ACCESSORIES
DC84 SERIES SIZE 4 DOOR CLOSER & ACCESSORIES
GRADE 3


A	B	C	D
9-7/8"	1-7/8"	9"	3/4"


DCAR A07AL

DCMO K07AL

- For push side mounting on top jamb applications


DCSEXNUTS

- For through bolt mounting (package of 4)



DCMO K02AL

- For top jamb applications where rail is less than 1-3/4"

- Specifically designed for medium traffic situations
- Ideal for light commercial or residential applications
- Suitable for interior and exterior usage, not recommended where backcheck is required
- Adjustable sweep & latch speeds
- Supplied with parallel arm mounting bracket
- Maximum opening angle of 180°
- Constructed with precision aluminum die cast body & steel arm
- Heat treated rack & pinion is immersed in high grade oil operates a nest of coils to give a smooth precise action with minimum wear
- Oil tempered alloy steel springs
- Max. door size: up to 41" door, 150 lbs
- ANSI Grade 3 compliant
- UL listed: R25967, conforms to UL10C

MFG #	FINISH	EZ #
DC84PA AL	Aluminum	082794
DC84PA DU	Duranodic	082795

MFG #	DESCRIPTION	FINISH	EZ #
DCAR A07AL	Standard Arm	Aluminum	082823
DCAR A07DU	Standard Arm	Duranodic	082824
DCMO K02AL	Top Rail Drop Plate	Aluminum	082816
DCPA K07AL	Angle Bracket	Aluminum	082818
DCSEXNUTS	Through Bolts	Nickel	082822

DC724 SERIES ECONOMY DOOR CLOSER & ACCESSORIES


A	B	C	D
7"	1-3/4"	6-1/2"	3/4"


DCAR A13AL

DCSEXNUTS


- For through bolt mounting (package of 4)


DCPA K06AL

- Designed for light to medium traffic situations
- Can be installed on interior wood doors and interior metal doors
- Perfect for low traffic light commercial and residential applications such as office, apartment and hotel unit doors
- Fixed closing force with selectable sizes 2-4
- The closing force settings are altered by changing the position of the closer on the door
- Adjustable sweep & latch speeds
- Supplied with parallel arm mounting bracket
- Constructed with precision aluminum die-cast body & steel arm
- Heat treated rack & pinion is immersed in high grade oil operate a nest of coils to give a smooth precise action & minimum wear
- Oil tempered alloy steel springs
- Max. door size:
 - » Size 2: Door width 33-1/2", weight 88 lbs, opening angle 180°
 - » Size 3: Door width 37-1/2", weight 132 lbs, opening angle 180°
 - » Size 4: Door width 43", weight 176 lbs, opening angle 170°
- UL listed: R25967, conforms to UL 10C

MFG #	FINISH	EZ #
DC724PA AL	Aluminum	082785
DC724PA DU	Duranodic	082786

MFG #	DESCRIPTION	FINISH	EZ #
DCAR A13AL	Standard Arm	Aluminum	082800
DCPA K06AL	Parallel Arm Bracket	Aluminum	082820
DCSEXNUTS	Through Bolts	Nickel	082822

ALUMINUM-GLASS DOOR HARDWARE: BOLTS, DEADLATCHES, DEADLATCH LEVER & PADDLE HANDLES
MAXIMUM SECURITY BOLTS


- Maximum security bolt provides for excellent security even when a gap exists between the door & frame
- Laminated bolt provides more strength than one piece design
- Replacement for existing aluminum door flip & hook bolts
- Case size: 7/8" x 6-13/16"
- Flip bolt: 5/8" x 1-3/8" throw for swinging doors
- Hook bolt: 5/8" x 13/16" throw for sliding doors
- Includes both clear & brown anodized aluminum faceplates

MFG #	BOLT	BACKSET	EZ #
1820H118	Hook	1-1/8"	090024
1820H3132	Hook	31/32"	090023
1850F118	Flip	1-1/8"	090026
1850F3132	Flip	31/32"	090025

DEADLATCHES


- Replacement for existing aluminum door latches
- Case size: 7/8" x 6-13/16"
- Latch bolt: 5/8" x 1" x 5/8" throw
- Deadpin prevents the latch bolt being shimmed open
- Hold back function allows the latch to be "dogged" during store opening times
- Simply hold latch in and turn key backwards to "dog" the latch
- Includes both clear & brown anodized aluminum faceplates

MFG #	BACKSET	HAND	EZ #
4510DL118LH	1-1/8"	Left	103465
4510DL118RH	1-1/8"	Right	090030
4510DL3132LH	31/32"	Left	090027
4510DL3132RH	31/32"	Right	090028

DEADLATCH LEVER HANDLES


- Works with aluminum door deadlatches such as the LSDA 4510 Series
- Handle is designed to fit the hand and allow for minimum force to open the deadlatch
- Reversible cam disc included

MFG #	FINISH	EZ #
4560L AL	Aluminum	090031
4560L DU	Duranodic	090032

DEADLATCH PADDLE HANDLES


- For aluminum door latches on both outswing and inswing doors
- Reversible cam disc included
- Both Push & Pull stickers included which allows for: Push to Right, Push to Left, Pull to Right or Pull to Left

MFG #	FINISH	EZ #
4590P AL	Aluminum	090033
4590P DU	Duranodic	090034
CAMPLUG	Aluminum	090932

PIN TUMBLER SOLID BRASS PADLOCKS


- Solid brass body, highly corrosion resistant
- Pin tumbler cylinder with solid brass keyway
- 2 nickel plated brass keys
- Chrome plated hardened steel shackle
- Double locking shackle
- Each lock individually boxed
- Packed 6 per box except BP200 (12)

- **BP200:** 3/4" case width, 1/2" shackle clearance, 1/8" shackle diameter
- **BP300:** 1-1/8" case width, 5/8" shackle clearance, 3/16" shackle diameter
- **BP320:** 1-1/8" case width, 2-1/2" shackle clearance, 3/16" shackle diameter
- **BP400:** 1-1/2" case width, 7/8" shackle clearance, 1/4" shackle diameter
- **BP420:** 1-1/2" case width, 2-1/2" shackle clearance, 1/4" shackle diameter
- **BP450:** 1-3/4" case width, 1-3/16" shackle clearance, 5/16" shackle diameter
- **BP470:** 1-3/4" case width, 2-1/2" shackle clearance, 5/16" shackle diameter
- **BP500:** 2" case width, 1-1/8" shackle clearance, 3/8" shackle diameter

MFG #	KEYING	EZ #
BP200C KD	KD	025695
BP200KA302	KA 302	025698
BP200KA600	KA 600	025696
BP300C KD	KD	025699
BP300KA700	KA 700	025700
BP300KA701	KA 701	025701
BP300KA702	KA 702	025702
BP320KD	KD	025706
BP400C KD	KD	025707
BP400KA800	KA 800	025708
BP400KA801	KA 801	025709

MFG #	KEYING	EZ #
BP400KA802	KA 802	025710
BP400KD MK	KD MK	030023
BP400UP	Unpinned	071651
BP420KD	KD	025715
BP420KA800	KA 800	025712
BP420KA801	KA 801	025713
BP420KA802	KA 802	025714
BP450C KD	KD	025716
BP450KA850	KA 850	025717
BP450KA851	KA 851	025718
BP450KA852	KA 852	025719

MFG #	KEYING	EZ #
BP450KD MK	KD MK	030024
BP470KA850	KA 850	025721
BP470KA851	KA 851	025722
BP470KA852	KA 852	025723
BP500KA900	KA 900	025726
BP500KA901	KA 901	025727
BP500KA902	KA 902	025728
BP520KA900	KA 900	025729
B0520KA901	KA 901	025730

KEYS & CLOSING PINS

END PLUG
END PLUG

- Used to plug the hole after keying unpinned versions of BP300 & BP400
- Bottom pins, top pins & springs are also available


LSDA31

LSDA32

MFG #	DESCRIPTION	SERIES	EZ #
END PLUG30	Closing Pin	BP300	071652
END PLUG40	Closing Pin	BP400	072597
LSDA30	Key Blank	BP200	025739
LSDA31	Key Blank	BP300	025740
LSDA32	Key Blank	BP400, BP420	025741
MK4010	4010 Master Key	BP400	030038
MK4011	4011 Master Key	BP450	030039

SOLID BRASS COMMERCIAL CYLINDER PADLOCKS

RK450

9002

9003

RKC1000

- Match to most popular door keys
- 1-3/4" solid brass corrosion resistant body
- 1-3/16" standard shackle length
- 5/16" shackle diameter
- 2" or 3" length shackle may be purchased separately
- Case-hardened chrome plated double ball locking shackle
- Patent pending quick-change shackle feature
- Will function as key retained or non key retained with included retaining pin
- Kit included which allows the use of Schlage 21-002, Assa 65611, Kaba 3400-1099 & LSDA C500 cylinders
- Or use with optional RKC cylinders below

PADLOCK		
MFG #	DESCRIPTION	EZ #
RK450	Padlock Less Cylinder	077059
OPTIONAL SHACKLES		
MFG #	DESCRIPTION	EZ #
9002	2" Shackle	077069
9003	3" Shackle	077070
CYLINDER OPTIONS FOR RK450		
MFG #	KEYWAY	EZ #
RKC300	Schlage C	077062
RKC400	Corbin 60, 59A1, 59A2, 59B1 & 59B2	077063
RKC700	Sargent LA-LC Composite	077064
RKC1000	Russwin A1011D1-D4	077067
RKC3000	Schlage C-K Composite	077068

SOLID STEEL PADLOCKS

CR600

SR450

- Solid body padlocks provide maximum protection against physical attacks
- Solid brass rekeyable RC10 cylinders are keyed 5 pin but drilled for 6 pins
- Will function as key retained or non key retained with included retaining pin
- Double ball locking hardened steel shackles offer superior resistance
- **CR600 & CR620:** Chromed Steel
- **SR450:** Steel

MFG #	BODY WIDTH	SHACKLE LENGTH	SHACKLE DIAMETER	EZ #
CR600	2-1/4"	1"	7/16"	077178
CR620	2-1/4"	2-3/16"	7/16"	077179
SR450	1-3/4"	1"	5/16"	077176
CYLINDER OPTIONS				
MFG #	KEYWAY		EZ #	
RC10 KA24536	KA24536		077180	
RC10 KD	KD		077183	

PIN TUMBLER LAMINATED STEEL PADLOCKS


- Case-hardened steel shackle for tough protection against cutting and sawing
- Laminated steel construction for additional security and durability
- Solid brass pin tumbler locking mechanism provides long-lasting smooth working action
- Plastic bumper on bottom of lock prevents lock from scratching and marring items underneath the lock
- **LP30:** 1-1/8" body width, 5/8" shackle clearance, 3/16" shackle diameter
- **LP40:** 1-1/2" body width, 7/8" shackle clearance, 1/4" shackle diameter
- **LP50:** 1-3/4" body width, 15/16" shackle clearance, 5/16" shackle diameter
- **LP60:** 2" body width, 1-1/8" shackle clearance, 3/8" shackle diameter

MFG #	KEYING	EZ #
LP30C KD	KD	025733
LP30KA LN0019	KA LN0019	009214
LP30KA LN0024	KA LN0024	009215
LP30KA LN0038	KA LN0038	009216
LP30KA LN0040	KA LN0040	009217
LP40C KD	KD	030034
LP40KA FE0371	KA FE0371	009223
LP40KA FE0587	KA FE0587	009224
LP40KA FE0597	KA FE0597	009225
LP40KA FE0599	KA FE0599	009226
LP40KA FE0691	KA FE0691	009227

MFG #	KEYING	EZ #
LP40KA FE0710	KA FE0710	009228
LP50C KD	KD	025736
LP50KA FE0374	KA FE0374	009233
LP50KA FE0587	KA FE0587	009234
LP60KA FE0587	KA FE0587	009242
LP60KA FE1226	KA FE1226	009243
LP60KD	KD	009244
KEY BLANKS		
MFG #	SERIES	EZ #
LSDA4	LP40 & LP50	009256

SHIELDED DISC PADLOCK


- Shielded shackle practically eliminates shackle exposure to attack
- 2-3/4" corrosion resistant stainless steel case
- 3/4" shackle clearance
- 3/8" shackle diameter
- Hardened steel deadbolt, double locking shackle
- Solid brass anti-pick pin tumbler brass cylinder
- Use on vending machines, lockers, bicycles and more

MFG #	KEYWAY	EZ #
2012KA2359	KA2359	077158
2012KA2396	KA2396	077159
2012KD	KD	077160

DIAL COMBINATION PADLOCKS


- Ideal for school, fitness club & employee lockers
- Stainless steel case
- Resists corrosion
- Hardened chrome plated steel shackle for greater strength
- Over 1,500 unique combinations

MFG #	BODY WIDTH	SHACKLE CLEARANCE	SHACKLE DIAMETER	EZ #
2021 KD	1-7/8"	3/4"	9/32"	077161

RESETTABLE COMBINATION, SHACKLELESS & WEATHER RESISTANT PADLOCKS
RESETTABLE COMBINATION PADLOCKS

CP50C

- Resettable
- Easy operation to reset your combination
- More available combinations than traditional 3-number models
- Hardened steel shackle built to withstand attacks from cutting and sawing

MFG #	BODY WIDTH	SHACKLE LENGTH	SHACKLE DIAMETER	EZ #
CP50B	1-7/8"	1"	5/16"	066203
CP52C	1-7/8"	2-1/4"	5/16"	066205

SHACKLELESS "HOCKEY PUCK" HIGH SECURITY PADLOCK

2035

- Concealed shackle eliminates exposure to attacks from cutters, pry bars, and saws
- 2-7/8" diameter solid chrome plated steel body
- Pin tumbler solid brass cylinder
- Shackleless rear locking bolt for maximum security
- Uses hasp No. 2037
- Cylinder is not rekeyable


2037

2035 PADLOCK		
MFG #	KEYING	EZ #
2035KA523647	KA523647	077168
2035KA642586	KA642586	077169
2035KD	KD	077170
HASP FOR 2035 PADLOCK		
2037	Hasp	077171

WEATHER RESISTANT PIN TUMBLER PADLOCKS

WP40

WP42

- Laminated steel body padlock with anti-rust & corrosion resistant plating
- Case hardened chrome plated steel with double locking shackle
- Thermoplastic weatherproof jacket
- Shackle o-ring seals out moisture and dirt
- Pin tumbler solid brass cylinder
- Perfect for harsh weather conditions
- Case width: 1-1/2", with casing 1-3/4"
- Shackle diameter: 1/4"

MFG #	KEYING	SHACKLE LENGTH	EZ #
WP40KA2126	KA2126	1-1/4"	077162
WP40KA2258	KA2258	1-1/4"	077163
WP42KA2126	KA2126	2"	077165
WP42KA2258	KA2258	2"	077166

LSA RESERVED KEYWAY
BHMA
Grade 1
GRADE 1

THE "LOCKSMITH'S ONLY" LSA CYLINDERS

Capture more key duplication business! Unlike popular keyways that can be duplicated everywhere, LSA blanks are only available to locksmiths. Provide your customer with better key control for a lot less than "high security" cylinders by using the "Locksmith Only" keyway.

- 1-1/4" & 1-1/8" mortise cylinders: Supplied with 5 pin keys, drilled for 6 pin
- Meets ANSI/BHMA A156.5 series Grade 1

* We reserve the right to restrict sales of LSDA 15 and LSDA 20 keyblanks based on cylinder purchases

MFG #	DESCRIPTION	FINISH	EZ #
C500LSA26D	Universal Cylinder	Satin Chrome	076160
M1002LSA26D	1" Mortise Cylinder	Satin Chrome	074692
M1141LSA26D	1-1/4" Mortise Cylinder	Satin Chrome	009459
M1182LSA 3	1-1/8" Mortise Cylinder	Bright Brass	036017
M1182LSA13	1-1/8" Mortise Cylinder	Duranodic	036019
M1182LSA 26D	1-1/8" Mortise Cylinder	Satin Chrome	036018
R200LSA3	Rim Cylinder	Bright Brass	009589
R200LSA26D	Rim Cylinder	Satin Chrome	009588
KEYBLANK			
LSDA15	5 Pin Keyblank	Nickel Plated	074693
LSDA20	6 Pin Keyblank	Nickel Plated	009252

KEYED MORTISE CYLINDERS
BHMA
Grade 1
GRADE 1


- Meets ANSI/BHMA A156.5 series Grade 1
 - Solid brass bar stock cylinder and plug
 - Cylinders unmarked on face
 - 5 pin tumbler drilled for 6 except for 1" keyed cylinders
 - Rekeyable to original manufacturer's systems
 - 1" mortise cylinders furnished with Adams Rite cam, 1-1/8" with Adams Rite & Standard cam, 1-1/4" with Standard cam only
- * Comp works with Schlage C-K & 1170C (Hollymade)

MFG #	LENGTH	KEYWAY	FINISH	EZ #
M1002AW26D	1"	Arrow	Satin Chrome	009422
M1002KW26D	1"	Kwikset	Satin Chrome	009431
M1002SCC3	1"	Schlage C	Bright Brass	009441
M1002SCC10B	1"	Schlage C	Duranodic	009442
M1002SCC26D	1"	Schlage C	Satin Chrome	009440
M1002SCK26D	1"	Schlage Comp*	Satin Chrome	026849
M1002WE10B	1"	Weiser	Duranodic	009449
M1002WE26D	1"	Weiser	Satin Chrome	009447
M1002YA8 26D	1"	Yale 8	Satin Chrome	009450
M1141SCC3	1-1/4"	Schlage C	Bright Brass	009465
M1141SCC26D	1-1/4"	Schlage C	Satin Chrome	009464
M1181AW26D	1-1/8"	Arrow	Satin Chrome	009473
M1181C60 26D	1-1/8"	Corbin 60	Satin Chrome	009478
M1181LA26D	1-1/8"	Sargent LA	Satin Chrome	009494
M1181SCC26D	1-1/8"	Schlage C	Satin Chrome	026852
M1181SCE26D	1-1/8"	Schlage E	Satin Chrome	027788
M1181SCK10B	1-1/8"	Schlage Comp*	Duranodic	009493
M1181SCK26D	1-1/8"	Schlage Comp*	Satin Chrome	009491
M1181WE10B	1-1/8"	Weiser	Duranodic	036016
M1181WE26D	1-1/8"	Weiser	Satin Chrome	009495
M1181YA8 26D	1-1/8"	Yale 8	Satin Chrome	009497

DUMMY MORTISE CYLINDERS

D100 10B
1" MORTISE DUMMY CYLINDERS

MFG #	FINISH	EZ #
D100 10B	Duranodic	009077
D100 26D	Satin Chrome	009075

THUMBTURN MORTISE CYLINDERS

T1002 3
MORTISE THUMBTURN CYLINDERS

MFG #	LENGTH	FINISH	EZ #
T1002 3	1"	Bright Brass	009628
T1002 10B	1"	Duranodic	009629
T1002 26D	1"	Satin Chrome	009627
T1141 3	1-1/4"	Bright Brass	009631
T1141 10B	1-1/4"	Duranodic	027775
T1141 26D	1-1/4"	Satin Chrome	009630
T1181 26D	1-1/8"	Satin Chrome	009632

RIM CYLINDERS

- Horizontal or vertical tailpiece installation
 - 5 pin standard, drilled for 6 pin applications
 - Rekeyable to original manufacturer's systems
 - Supplied with trim ring, mounting plate & connecting screws
 - Breakoff tailpiece allows for cylinders to be used for different door thicknesses
- * Composite (Comp) works with Schlage C-K & 1170C (Hollymade)


R200C60 26D

MFG #	KEYWAY	FINISH	EZ #
R200AW26D	Arrow	Satin Chrome	009581
R200C60 26D	Corbin 60	Satin Chrome	009585
R200KW26D	Kwikset	Satin Chrome	009586
R200LA26D	Sargent LA	Satin Chrome	009600
R200SCC3	Schlage C	Bright Brass	009595
R200SCC26D	Schlage C	Satin Chrome	009594
R200SCE26D	Schlage E	Satin Chrome	027796
R200SCK10B	Schlage Comp*	Duranodic	009599
R200SCK26D	Schlage Comp*	Satin Chrome	009597
R200WE10B	Weiser	Duranodic	027774
R200WE26D	Weiser	Satin Chrome	009601
R200YA8 26D	Yale 8	Satin Chrome	009603

UNIVERSAL COMBINATION CYLINDER
BHMA
Grade 1
GRADE 1

C500AW26D
LSDA LOCKS THAT ACCEPTS THESE CYLINDERS

LF Lever	Page: 1
5000 Lever	Page: 2
LH Knob	Page: 3
4000 Knob	Page: 4
800 Lever	Page: 5, 6
100B Knob	Page: 7
260/265 Deadbolt	Page: 8
220/225 Deadbolt	Page: 9
20R/25R Deadbolt	Page: 14
LR/KR Exit Trim	Page: 17
RK450 Padlock	Page: 24


- Meets ANSI/BHMA A156.5 series Grade 1
- Operates most Grade 1 & 2 locksets and leversets including Arrow D, E, F, K, Schlage B100, B400 and H Series deadlocks as well as many other locksets such as LSDA
- One piece OEM quality tailpieces
- Drilled 6, pinned 5 standard
- Rekeyable to original manufacturer's systems
- Manufactured from solid brass
- Screw cap fastening of the plug facilitates ease of keying
- All stocked with 26D (Satin Chrome) plug faces
- * Composite (Comp) works with Schlage C-K & 1170C (Hollymade)

MFG #	KEYWAY	EZ #
C500AW26D	Arrow	076148
C500C60 26D	Corbin 60	076152
C500KW26D	Kwikset	076156
C500LA26D	Sargent LA	076158
C500R981 26D	Russwin 981	076163
C500RD1 26D	Russwin 6D1	076162
C500SCC26D	Schlage C	076165
C500SCE26D	Schlage E	076167
C500SCK26D	Schlage Comp*	076169
C500WE26D	Weiser	076171
C500YA8 26D	Yale 8	076173

UNIVERSAL COMBINATION CYLINDER KIT
KIT CONTENTS

C500KIT

Contains all the tailpieces and other service parts that are handy to have when working with existing C500 other cylinders.


1599KC
KEYWAY COVER
1599LP
LOCK PIN
1599LPS
LOCK PIN SPRING
1599SW
SPLIT WASHER
1599SN
SCREW CAP
1599LM
TAILPIECE
1599DL
TAILPIECE
1599DS
TAILPIECE
1599RL
TAILPIECE
1599RM
TAILPIECE
1599RS
TAILPIECE

MFG #	EZ #
C500KIT	087250

NEUTER BOW KEY BLANKS


UNIDENTIFIABLE TO THE UNTRAINED EYE!

- Large head lacquered brass blanks
- Embossed face with LSDA and “Do Not Duplicate”
- Meets original manufacturer tolerances
- One side plain for stamping

MFG #	KEYWAY	EZ #
01007LA NB	Sargent LA	009702
1054WB NB	Weiser 1555	009747
1145A NB	Schlage 35-101C	009767
1145NB	Schlage 35-100C	009766
1176NB	Kwikset 1063W	009773
999NB	Yale 8	025992

BRASS LOOK-A-LIKE KEY BLANKS


- Key blanks have the look and feel of the original manufacturer’s blank
- Solid brass
- Tarnish resistant lacquer finish
- Both Ilco and Curtis numbers appear on blank
- One side left blank for stamping
- Packed 50 per box

MFG #	DESCRIPTION	ORIGINAL #	ILCO #	CURTIS #	EZ #
275LA	Sargent 5 Pin LA	275LA	1007LA	S22	004471
B45	GM Secondary	320405	S1098H	B45	008982
B49	GM Secondary	320589	S1098B	B49	008986
B50	GM Primary	320652	P1098C	B50	008987
B51	GM Secondary	320653	S1098D	B51	008988
CG16	Compx Chicago	K5	1041T	CG16	008995
C087	Corbin	Z1-60-5	1001EH	C087	009043
C088	Corbin	Z1-60-6	A1001EH	C087	009044
DE6	Dexter	67	D1054K	DE6	009069
H50	Ford Secondary	S1167FD	S1167FD	H50	009115
KW1	Kwikset	1063B	1176	KW1	009124
SC1	Schlage 5 Pin C	35-100C	1145	SC1	009609
SC4	Schlage 6 Pin C	35-101C	A1145	SC4	009611
SC9	Schlage 6 Pin E	35-101E	A1145E	SC9	009614
WR3	Weiser	1555	1054WB	WR3	009671
Y1	Yale	8	999	Y1	009676
Y14	Yale Cabinet	9279	01122AR	Y14	009681

DISC TUMBLER CAM LOCKS

CL78KD

- 3/4" diameter
- Polished nickel
- Disc tumbler
- 90° & 180° cam turn
- Key removable in both locked and unlocked position
- Compatible with CompX Fort specialty straight cams: SF2400, SF2800, SF3200, SF4000 & SF4800

EACH CAM LOCK INCLUDES:

- Finish washer
- Spur washer
- 3/4" nut
- 90° & 180° stop washer
- Straight and offset cam

MFG #	KEYWAY	EZ #
CYLINDER LENGTH: 3/8" MAXIMUM THICKNESS: 3/16"		
CL38KA300	KA LS300	009017
CL38KA301	KA LS301	009018
CL38KD	KD	009024
CYLINDER LENGTH: 5/8" MAXIMUM THICKNESS: 5/16"		
CL58KA300	KA LS300	009025
CL58KA301	KA LS301	009026
CL58KD	KD	009032
CYLINDER LENGTH: 7/8" MAXIMUM THICKNESS: 9/16"		
CL78KA300	KA LS300	009033
CL78KA301	KA LS301	009034
CL78KD	KD	009040
CYLINDER LENGTH: 1-1/8" MAXIMUM THICKNESS: 13/16"		
CL118KA300	KA LS300	009001
CL118KA301	KA LS301	009002
CL118KA302	KA LS302	009003
CL118KD	KD	009008
CYLINDER LENGTH: 1-3/8" MAXIMUM THICKNESS: 1-3/16"		
CL138KA300	KA LS300	009009
CL138KA301	KA LS301	030265
CL138KD	KD	009016

SHOWCASE RATCHET LOCKS


- Packed with bars for both glass and 3/4" wood applications

MFG #	KEYWAY	EZ #
SC23KA LS300	KA LS300	060259
SC23KA LS301	KA LS301	060260
SC23KD	KD	060261

VERTICAL BOLT LOCK


- For both drawers & doors
- Packed with 2 different cams
- Cylinder length: 3/4"

MFG #	KEYWAY	EZ #
MDL34KA LS300	KA LS300	060149

DRAWER LOCK


- These diamond back drawer locks come complete with bolt and spring latch
- Cylinder length: 7/8"

MFG #	KEYWAY	EZ #
DL78 26D KA LS300	KA LS300	060154

SLIDING DOOR PUSH LOCKS


- This bypass lock works for sliding cabinets and drawers
- Cylinder length: 3/4"

MFG #	KEYWAY	EZ #
SD78KA LS300	KA LS300	060274
SD78KD	KD	060150

UNIVERSAL TUBULAR CAM LOCKS

UTCL38

- For wood or metal doors and drawers where additional security is required
- 7 pin tubular cylinder with over 100,000 unique combinations
- Possible functions include: Key rotation at 90° or 180° right or left
- Supplied with wood/metal washer, straight cam, and 1/8" offset cam
- Will accept conventional square cutout cams

MFG #	KEYWAY	EZ #
CYLINDER LENGTH: 3/8" MAXIMUM THICKNESS: 1/4"		
UTCL38KA56800	KA56800	009653
UTCL38KA56801	KA56801	036029
UTCL38KA56804	KA56804	009650
UTCL38KD	KD	009654
CYLINDER LENGTH: 5/8" MAXIMUM THICKNESS: 1/2"		
UTCL58KA56800	KA56800	009655
UTCL58KA56801	KA56801	009656
UTCL58KA56804	KA56804	009657
UTCL58KD	KD	009660
CYLINDER LENGTH: 7/8" MAXIMUM THICKNESS: 3/4"		
UTCL78KA56800	KA56800	009666
UTCL78KA56801	KA56801	036030
UTCL78KA56804	KA56804	009663
UTCL78KD	KD	009667
CYLINDER LENGTH: 1-1/8" MAXIMUM THICKNESS: 1"		
UTCL118KA56800	KA56800	036031
UTCL118KA56801	KA56801	009642
UTCL118KA56804	KA56804	009644
UTCL118KD	KD	009647
CYLINDER LENGTH: 1-1/2" MAXIMUM THICKNESS: 1-1/8"		
UTCL112KA56800	KA56800	036032
UTCL112KA56801	KA56801	036033
UTCL112KA56804	KA56804	009638
UTCL112KD	KD	009641

DISPLAY MOUNTS FOR LEVERS, KNOBS, DEADBOLTS & GRIPSETS


MFG #	DESCRIPTION	EZ #
40MOUNT	For 40 Series Gripsets	106471
46MOUNT	For 46 Series Gripsets	105103
LLM1	For G1 Levers, 1 Hole	081338
LM2	For G2 & G3 Levers, Knobs & Deadbolts, 2 Holes	080632
LM3	For G2 & G3 Levers, Knobs & Deadbolts, 3 Holes	080633

FIRE RESISTANT HOME SAFES


- Equipped with a dial combination lock which is hand changeable, except HS1812D, which is equipped with a key change lock
- Dark gray Hammerstone finish body with a light gray Hammerstone door
- Fire resistant home safes are one hour JIS tested
- All safes comes with a removable plastic tray

EHS - ELECTRONIC SAFE LOCK

- 4 AAA batteries included; low battery warning
- Easy-change 2 to 25 digit security code: 1 Enter, 2 Reset, 3 Code, 4 Enter
- Detent system: 3 wrong attempts shuts keypad down for 5 minutes

HS1512

- Comes with a removable tray and one adjustable shelf

HS1812

- Comes with a removable tray and two adjustable shelves


HS139

Available soon

MFG #	DESCRIPTION	WEIGHT	EZ #
EXT: 17-9/16" X 13" X 14-5/8" INT: 13-15/16" X 9-3/16" X 10-3/8"			
HS139	Mechanical	88 lbs	009106
EHS139	Electronic	88 lbs	102687
EXT: 13-1/2" X 17" X 14-5/8" INT: 9-5/16" X 13-3/16" X 9-7/8"			
HS913	Mechanical	88 lbs	009113
EHS913	Electronic	88 lbs	031057
EXT: 19-15/16" X 16-11/16" X 17-7/8" INT: 15-1/16" X 12-7/16" X 13-3/16"			
HS1512	Mechanical	128 lbs	009109
EHS1512	Electronic	128 lbs	041200
EXT: 28" X 19-1/2" X 27-1/4" INT: 20-1/2" X 13-1/4" X 18-1/2"			
HS1812D	Mechanical	310 lbs	045418
EHS1812D	Electronic	310 lbs	100992

FIRE RESISTANT OFFICE SAFES

RS3822


Available soon

- Equipped with a key change lock
- Dark gray Hammerstone finish body with light gray Hammerstone door
- Fire resistant office safes are 2 hr JIS tested
- Comes with 5-1/8" lockable drawer, except HS2013, which has a removeable plastic tray
- HS2013 & HS2416 comes with two adjustable shelves, and all remaining office safes come with three

ERS - ELECTRONIC KEYPAD LOCK

- 4 AAA batteries included; low battery warning
- Detent system: 3 wrong attempts shuts keypad down for 5 minutes
- Easy-change 2 to 25 digit security code: 1 Enter, 2 Reset, 3 Code, 4 Enter

MFG #	DESCRIPTION	WEIGHT	EZ #
EXT: 28-1/8" X 19-1/2" X 20-1/8" INT: 20-1/4" X 13-5/8" X 13-3/16"			
HS2013	Mechanical	280 lbs	102481
EHS2013	Electronic	280 lbs	102480
EXT: 33-7/16" X 22-15/16" X 20-1/4" INT: 18-5/8" X 16-7/16" X 13-5/8"			
RS2416	Mechanical	335 lbs	009571
ERS2416	Electronic	335 lbs	061329
EXT: 47-11/16" X 27-3/8" X 23-13/16" INT: 33-3/16" X 21-15/16" X 17-1/8"			
RS3822	Mechanical	644 lbs	009574
ERS3822	Electronic	644 lbs	081127

FRONT DEPOSITORY SAFES

DS2014


Available soon

- Depository safes are designed to provide high security to shop owners who operate a 24 hour business such as convenient stores, game room, night shops, etc
- 1/2" door plate, 1/6" body plate
- Changeable combination dial lock
- 3 active bolts: 1" size
- Spring loaded relocking device
- Saw tooth baffle defends against fishing
- Additional protective hardened plate (1/4") on the dial lock
- 4 bottom holes to fix to the floor

MFG #	EXTERNAL DIMENSIONS	WEIGHT	EZ #
DS2014	20" x 14" x 14"	90 lbs	081126
DS2714	27" x 14" x 14"	121 lbs	081128

NOTE:

CONTACT:



© 2013 LSDA - ALL RIGHTS RESERVED.

V. 10.21.2013